

BOA MAX



INDUSTRIAL STRENGTH DISPOSABLE GLOVES

QUALITY STANDARDS

Meets or exceeds the following standards:

EN ISO 374 - Protection Against Dangerous Chemicals and Micro-Organisms

EN ISO 374-1 / Type C - Protection Against Chemicals

EN ISO 374-2 - Resistance to Penetration

EN ISO 374-4 - Resistance to Degradation

EN ISO 374-5 - Protection Against Viruses, Bacteria and Fungi

EN ISO 455 - Medical Gloves for Single Use (parts 1 through 4)

EN ISO 420:2003 + A1:2009 - Protective Gloves

ASTM D6319 - Standard Specification for Nitrile Examination Glove for Medical Application

ASTM D6978-05 - Standard Practice for Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs

ASTM D6124 - Standard Test Method for Residual Powder on Gloves

ASTM F1671 - Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System

ISO 10993 - Cytotoxicity, Irritation and Dermal Sensitization

Whilst these gloves have been tested and have passed all of the above standards, they are not intended for medical use

PHYSICAL PROPERTIES

	Unaged	Aged
Tensile Strength	Min 14 MPA	Min 14 MPA
Elongation	Min 500%	Min 400%

PRODUCT DIMENSIONS

Thickness	MM	MIL
Finger	.16	6
Palm	.14	6
Cuff	.09	4

SIZES & DIMENSIONS

Size	Typical Weight	Palm Width
S	6.3g	85 +/-5mm
M	6.8g	95 +/-5mm
L	7.3g	105 +/-5mm
XL	7.8g	115 +/-5mm

Length: Min 240 MM



Nitrile



Powder Free



PalmTextured



Smart Touch

